



NATO STOCK NO.: PENDING

VAPPRO VCI-810G

Non Rinse Gel Rust Remover

DESCRIPTION

Vappro VCI-810G is a viscous gel rust remover that effectively removes rust, stains and tarnish from iron, steel, brass, copper, aluminium and chrome.

Unlike conventional rust remover, Vappro VCI-810G prevents flash rusting after rust removal. Its corrosion inhibition properties inhibit metals against corrosion after rust removal.

SPECIAL FEATURES

- No rinsing needed
- Eliminates the problems of waste disposal
- Effectively removes rust, stains and tarnish from both ferrous and non-ferrous metals
- No adverse effects on most paints, plastics, wood, ceramics and rubbers
- · Prevents flash rusting on metals after rust removal
- Corrosion inhibitors protect metals against corrosion after rust removal
- Clings to vertical surfaces, overhead or underside of horizontal surfaces
- Non-dripping
- Safe to handle, use and store
- Non-flammable
- Non-polluting to environment
- Suitable for indoor, outdoor and marine applications



Before treatment



After treated with Vappro 810G



























TYPICAL PROPERTIES

APPEARANCE Hq **FLASH POINT** Non-Flammable White gel 1 ± 0.5

ODOUR VISCOSITY Mild Viscous gel

APPLICATIONS

- Trucks, cars and other vehicles
- Superstructures for marine and offshore
- In-process rust removal for metal parts
- Automotive, marine and offshore equipment

DIRECTIONS OF USE

Vappro VCI-810G can be applied by means of a brush. Apply Vappro VCI-810G directly on rusted surfaces and leave for 10 to 20 minutes before wiping off with a cloth.

PACKAGING

- 20 liters HDPE Pail.
- 209 liters HDPE Drum.

Magna

Magna International Pte Ltd

10H, Enterprise Road, Singapore 629834.

Tel (65) 6786-2616 Fax (65) 6785-1497

Email info@magnachem.com.sg info@vapprovci.com

Web http://www.vapprovci.com

Headquarters



Singapore

Regional Offices



Canada

Follow us on social media for regular updates and news.



https://www.facebook.com/vapprovci/ https://www.facebook.com/MagnaInternationalPteLtd/

The details of our products are given completely free of undertaking. Since their application lies outside our control, we cannot accept any liability for the results. User shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.







